



CRCM – HM600

CRCM – HM900

Main Filter

HEPAFilter Eff 99.97%

Medium Filter Eff 90%



HEPAFilter Eff 99.97%



Medium Filter Eff 90%

 Pre Filter

Standard Capacity Pleated Panel Filter Eff 35–40%

Air Filtration Rate

1000 CHM (Cu.M per Hour)

1500 CHM (Cu.M per Hour)

Air Change

(4mx4mx2.5m)

25 Air Change per Hour

35 Air Change per Hour

Cleanliness Class

Class 10,000 – 100,000

AHU

12,000–18,000 Btu/hr.

18,000–24,000 Btu/hr.


Disinfection Unit

Application


□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□

HEPA Filter (High-Efficiency Particulate Air)



HEPA Filter
HEPA Type Filter HEPA Filter
0.01u(0.00000)
TLENAI
R
True HEPA Filter Cleanroom
TLENAIR
Medium Filter



ผลการฆ่าเชื้อของ T-2 Photo Catalyst

Violet(UV) Photo Catalyst Ultra